

Datasheet for ABIN7275362

NOTCH3 Protein (AA 40-467) (Fc Tag)[Go to Product page](#)**2** Images

Overview

Quantity:	100 µg
Target:	NOTCH3
Protein Characteristics:	AA 40-467
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This NOTCH3 protein is labelled with Fc Tag.

Product Details

Purpose:	Human Notch 3 Protein
Sequence:	Ala40-Glu467
Characteristics:	Recombinant Human Notch 3 Protein is expressed from HEK293 with hFc tag at the C-Terminus. It contains Ala40-Glu467.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	NOTCH3
Alternative Name:	Notch 3 (NOTCH3 Products)

Target Details


Background:	Human Notch-3 is part of the Notch family of type I transmembrane glycoproteins involved in a number of early-event developmental processes. The extracellular domain of Notch receptors interact with the extracellular domain of transmembrane ligands Jagged, Delta, and Serrate expressed on the surface of a neighboring cell. Upon ligand activation through the released notch intracellular domain (NICD) it forms a transcriptional activator complex with RBPJ/RBPSUH and activates genes of the enhancer of split locus. Affects the implementation of differentiation, proliferation and apoptotic programs
Molecular Weight:	71.53 kDa. Due to glycosylation, the protein migrates to 75-83 kDa based on Tris-Bis PAGE result.
UniProt:	Q9UM47
Pathways:	Notch Signaling

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Human Notch3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human Notch3 is greater than 95 % as determined by SEC-HPLC.