

Datasheet for ABIN7275384

Oncostatin M Receptor Protein (OSMR) (AA 28-740) (His tag)[Go to Product page](#)**4** Images

Overview

Quantity:	100 µg
Target:	Oncostatin M Receptor (OSMR)
Protein Characteristics:	AA 28-740
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Oncostatin M Receptor protein is labelled with His tag.

Product Details

Purpose:	Human OSMR Protein
Sequence:	Glu28-Met740
Characteristics:	Recombinant Human OSMR Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Glu28-Met740.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human OSMR, His Tag at 1µg/ml (100µl/Well) on the plate. Dose response curve for Anti-OSMR Antibody, hFc Tag with the EC50 of 4.4ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	Oncostatin M Receptor (OSMR)
Alternative Name:	OSMR (OSMR Products)
Background:	OSMR is targeted to the mitochondrial matrix via the presequence translocase-associated motor complex components, mtHSP70 and TIM44. OSMR interacts with NADH ubiquinone oxidoreductase 1/2 (NDUFS1/2) of complex I and promotes mitochondrial respiration. Deletion of OSMR impairs spare respiratory capacity, increases reactive oxygen species, and sensitizes BTSCs to IR-induced cell death.
Molecular Weight:	82.2 kDa. Due to glycosylation, the protein migrates to 110-140 kDa based on Tris-Bis PAGE result.
Pathways:	JAK-STAT Signaling , Growth Factor Binding

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months




ELISA

Image 1. Immobilized Human OSMR, His Tag at 1 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-OSMR Antibody, hFc Tag with the EC50 of 4.4 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human OSMR is greater than 95 % as determined by SEC-HPLC.



ELISA

Image 3. Immobilized Human OSMR, His Tag at 1 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-OSMR Antibody, hFc Tag with the EC50 of 6.1 ng/mL determined by ELISA.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7275384.