# antibodies - online.com







### PLAUR Protein (AA 115-305) (His tag)

**Images** 



#### Overview

Quantity:	100 μg
Target:	PLAUR
Protein Characteristics:	AA 115-305
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PLAUR protein is labelled with His tag.

#### **Product Details**

Purpose:	Human uPAR/PLAUR Domain (2+3) Potein
Sequence:	Leu115-Gly305
Characteristics:	Recombinant Human uPAR/PLAUR Domain (2+3) Potein is expressed from HEK293 with His tag at the C-Terminus. It contains Leu115-Gly305.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

#### **Target Details**


Target:	PLAUR
Alternative Name:	uPAR (PLAUR Products)

#### **Target Details**

Expiry Date:


12 months

rai get Betane	
Background:	The receptor (u-PAR) for urokinase plasminogen activator (u-PA) is a three-domain protein, GPI-anchored to the cell surface, which focuses the enzymatic activity of u-PA, and allows the cell surface activation of plasminogen. Regulation of the activity of u-PA is also mediated by u-PAR.
Molecular Weight:	22.16 kDa. Due to glycosylation, the protein migrates to 33-45 kDa based on Tris-Bis PAGE result.
Pathways:	Inositol Metabolic Process
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,4-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
F : D :	40



#### **SDS-PAGE**

**Image 1.** Human uPAR Domain (2+3) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



## Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human uPAR Domain (2+3) is greater than 95 % as determined by SEC-HPLC.