

## Datasheet for ABIN7275426

## PD-L1 Protein (AA 19-238) (His tag, Biotin)





### Overview

Quantity:	100 μg
Target:	PD-L1
Protein Characteristics:	AA 19-238
Origin:	Cynomolgus, Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PD-L1 protein is labelled with His tag, Biotin.

## **Product Details**

Purpose:	Biotinylated Cynomolgus/Rhesus macaque PD-L1/B7-H1 Protein (Primary Amine Labeling)
Sequence:	Phe19-Arg238
Characteristics:	Recombinant Biotinylated Cynomolgus/Rhesus macaque PD-L1/B7-H1 Protein (Primary Amine Labeling) is expressed from HEK293 with His tag at the C-Terminus.It contains Phe19-Arg238.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 μm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.
Biological Activity Comment:	Immobilized Biotinylated Cynomolgus PD-L1, His Tag at 0.5µg/ml (100µl/Well) on the plate.
	Dose response curve for Anti-PD-L1 Antibody, hFc Tag with the EC50 of 4.0ng/ml determined
	by ELISA. See testing image for detail.


## **Target Details**

Expiry Date:

12 months


Target:	PD-L1
Alternative Name:	PD-L1 (PD-L1 Products)
Background:	B7-H1, also known as PD-L1 and CD274, is an approximately 65 kDa transmembrane glycoprotein in the B7 family of immune regulatory molecules. PD-L1 has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance.
Molecular Weight:	26 kDa. Due to glycosylation, the protein migrates to 35-40 kDa based on Tris-Bis PAGE result.
UniProt:	G7PSE7
Pathways:	Cancer Immune Checkpoints
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Supplied as 0.22µm filtered solution in PBS (pH 7.4).
Storage:	-80 °C
Storage Comment:	Valid for 12 months from date of receipt when stored at -80°C., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Biotinylated Cynomolgus PD-L1, His Tag ELISA 0.05µg Biotinylated Cynomolgus PD-L1, His Tag Per Well




#### **ELISA**

**Image 1.** Immobilized Biotinylated Cynomolgus PD-L1, His Tag at  $0.5 \,\mu\text{g/mL}$  (100  $\,\mu\text{L/Well}$ ) on the plate. Dose response curve for Anti-PD-L1 Antibody, hFc Tag with the EC50 of  $4.0 \, \text{ng/mL}$  determined by ELISA.



# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Biotinylated Cynomolgus PD-L1 is greater than 95 % as determined by SEC-HPLC.



#### **SDS-PAGE**

**Image 3.** Biotinylated Cynomolgus PD-L1 on Tris-Bis PAGE under reduced conditions. The purity is greater than 95 % .