antibodies.com

Datasheet for ABIN7275427 PD-L1 Protein (AA 19-238) (Fc Tag)

3 Images



Overview

Quantity:	100 µg
Target:	PD-L1
Protein Characteristics:	AA 19-238
Origin:	Cynomolgus
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This PD-L1 protein is labelled with Fc Tag.

Product Details

Purpose:	Cynomolgus PD-L1/B7-H1 Protein
Sequence:	Phe19-Arg238
Characteristics:	Recombinant Cynomolgus PD-L1/B7-H1 Protein is expressed from HEK293 with hFc tag at the C-Terminus.It contains Phe19-Arg238.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Cynomolgus PD-L1, hFc Tag at 1μ g/ml (100 μ l/well) on the plate. Dose response
	curve for Biotinylated Anti-PD-L1 Antibody, hFc Tag with the EC50 of 10.0ng/ml determined by
	ELISA. See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7275427 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	PD-L1
Alternative Name:	PD-L1 (PD-L1 Products)
Background:	B7-H1, also known as PD-L1 and CD274, is an approximately 65 kDa transmembrane glycoprotein in the B7 family of immune regulatory molecules. PD-L1 has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance.
Molecular Weight:	52 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Tris-Bis PAGE result.
UniProt:	G7PSE7
Pathways:	Cancer Immune Checkpoints


Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



ELISA

Image 1. Immobilized Cynomolgus PD-L1, hFc Tag at 1μ g/mL (100 μ L/well) on the plate. Dose response curve for Biotinylated Anti-PD-L1 Antibody, hFc Tag with the EC50 of 10.0 ng/mL determined by ELISA.

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Cynomolgus PD-L1 is greater than 95 % as determined by SEC-HPLC.




Image 3. Cynomolgus PD-L1 on Tris-Bis PAGE under reduced conditions. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7275427 | 01/18/2024 | Copyright antibodies-online. All rights reserved.