antibodies -online.com







PD-L1 Protein (AA 19-238) (His-Avi Tag, Biotin)



Images



\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μg
Target:	PD-L1
Protein Characteristics:	AA 19-238
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate: This PD-L1 protein is labelled with His-Avi Tag, Biotin.	

Product Details

Purpose:	Biotinylated Human PD-L1/B7-H1 Protein	
Sequence:	Phe19-Arg238	
Characteristics:	Recombinant Biotinylated Human PD-L1/B7-H1 is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Phe19-Arg238.	
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC	
Sterility:	0.22 µm filtered	
Endotoxin Level:	Less than 1EU per μg by the LAL method.	
Biological Activity Comment:	Immobilized Anti-PD-L1 Antibody, hFc Tag at 0.5μg/ml (100μl/Well) on the plate. Dose	
	response curve for Biotinylated Human PD-L1, His Tag with the EC50 of 2.8ng/ml determined	
	by ELISA. See testing image for detail.	

Target Details		
Target:	PD-L1	
Alternative Name:	PD-L1 (PD-L1 Products)	
Background:	B7-H1, also known as PD-L1 and CD274, is an approximately 65 kDa transmembrane glycoprotein in the B7 family of immune regulatory molecules. PD-L1 has been identified as the ligand for the immunoinhibitory receptor programmed death-1(PD1/PDCD1) and has been demonstrated to play a role in the regulation of immune responses and peripheral tolerance.	
Molecular Weight:	28.1 kDa. Due to glycosylation, the protein migrates to 35-45 kDa based on Tris-Bis PAGE result	
Pathways:	Cancer Immune Checkpoints	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.	
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as	

-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after

smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into

protectant before lyophilization.


-20 °C,-80 °C

12 months

Storage:


Expiry Date:

Storage Comment:



SDS-PAGE


Image 1. Biotinylated Human PD-L1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 %.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated Human PD-L1 is greater than 95 % as determined by SEC-HPLC.

Biotinylated Human PD-L1, His Tag ELISA 0.05µg Biotinylated Human PD-L1, His Tag Per Well



ELISA

Image 3. Immobilized Human PD-L1,His Tag at $0.5 \,\mu\text{g/mL}$ (100 $\,\mu\text{L/well}$) on the plate. Dose response curve for Anti-PD-L1 Antibody, hFc Tag with the EC50 of $7.7 \,\text{ng/mL}$ determined by ELISA.

Please check the product details page for more images. Overall 5 images are available for ABIN7275434.