antibodies -online.com







ROR1 Protein (AA 22-477) (His tag)

Images



Overview

Quantity:	100 μg
Target:	ROR1
Protein Characteristics:	AA 22-477
Origin:	Dog
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ROR1 protein is labelled with His tag.

Product Details


Purpose:	Canine ROR1 Protein
Sequence:	Ala22-Glu477
Characteristics:	Recombinant Canine ROR1 Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Ala22-Glu477.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	ROR1
Alternative Name:	ROR1 (ROR1 Products)


Target Details

rarget Details	
Background:	ROR1 (Receptor tyrosine kinase-like orphan receptor 1), also known as neurotrophic tyrosine kinase receptor-related 1 (NTRKR1), is a member of the ROR family within receptor tyrosine kinases (RTK) superfamily. Two ROR family members (ROR1 and ROR2) have been identified and are characterized by the intracellular tyrosine kinase domains, highly related to those of the Trk-family receptor tyrosine kinases, and by the extracellular Frizzled-like cysteine-rich domains and kringle domains, which are common to receptors of the Wnt family members.
Molecular Weight:	52.2 kDa. Due to glycosylation, the protein migrates to 65-68 kDa based on Tris-Bis PAGE result
UniProt:	A0A8I3MPB6
Pathways:	RTK Signaling, WNT Signaling, Nuclear Receptor Transcription Pathway, Steroid Hormone Mediated Signaling Pathway, Regulation of Lipid Metabolism by PPARalpha
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Canine ROR1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Canine ROR1 is greater than $95\,\%$ as determined by SEC-HPLC.