antibodies

## Datasheet for ABIN7275528 ROR1 Protein (AA 308-395) (His tag)

2 Images



#### Overview

Quantity:	100 µg
Target:	ROR1
Protein Characteristics:	AA 308-395
Origin:	Human, Cynomolgus, Rhesus Monkey
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ROR1 protein is labelled with His tag.

## Product Details

Purpose:	Human/Cynomolgus/Rhesus macaque ROR1 (308-395, Kringle Domain) Protein
Sequence:	Asn308-Asp395
Characteristics:	Recombinant Human/Cynomolgus/Rhesus macaque ROR1 (308-395, Kringle Domain) Protein is expressed from HEK293 with His tag at the C-Terminus.It contains Asn308-Asp395.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per $\mu g$ by the LAL method.

#### Target Details

Target:	ROR1
Alternative Name:	ROR1 (ROR1 Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7275528 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

## Target Details


Background:	ROR1 (Receptor tyrosine kinase-like orphan receptor 1), also known as neurotrophic tyrosine
	kinase receptor-related 1 (NTRKR1), is a member of the ROR family within receptor tyrosine
	kinases (RTK) superfamily. Two ROR family members (ROR1 and ROR2) have been identified
	and are characterized by the intracellular tyrosine kinase domains, highly related to those of the
	Trk-family receptor tyrosine kinases, and by the extracellular Frizzled-like cysteine-rich domains
	and kringle domains, which are common to receptors of the Wnt family members.
Molecular Weight:	11.1 kDa. Due to glycosylation, the protein migrates to 17-20 kDa based on Tris-Bis PAGE result.
Pathways:	RTK Signaling, WNT Signaling, Nuclear Receptor Transcription Pathway, Steroid Hormone
	Mediated Signaling Pathway, Regulation of Lipid Metabolism by PPARalpha

## Application Details

For Research Use only

#### Handling

Thanhainnig	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



#### SDS-PAGE

**Image 1.** Human/Cynomolgus/Rhesus macaque ROR1 (308-395, Kringle Domain) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

# Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human/Cynomolgus/Rhesus macaque ROR1 (308-395, Kringle Domain) is greater than 95 % as determined by SEC-HPLC.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7275528 | 01/18/2024 | Copyright antibodies-online. All rights reserved.