Datasheet for ABIN7275551

SARS-CoV-2 Spike S1 Protein (His-Avi Tag,Biotin)

2 Images

Go to Product page

Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike S1
Origin:	SARS Coronavirus (SARS-CoV)
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike S1 protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated SARS Spike S1 Protein
Sequence:	Ser14-Arg667
Characteristics:	Recombinant Biotinylated SARS spike S1 protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Ser14-Arg667.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	SARS-CoV-2 Spike S1
Alternative Name:	SARS-CoV Spike S1 (SARS-CoV-2 Spike S1 Products)
Background:	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor,

Target Details

	angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction.The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Molecular Weight:	75.9 kDa. Due to glycosylation, the protein migrates to 120-140 kDa based on Tris-Bis PAGE result.
UniProt:	P59594

Application Details

Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Supplied as 0.22μm filtered solution in PBS (pH 7.4).
Storage:	-80 °C
Storage Comment:	Valid for 12 months from date of receipt when stored at -80°C., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

Images



SDS-PAGE

Image 1. Biotinylated SARS Spike S1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Images



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Biotinylated SARS Spike S1 is greater than 95 % as determined by SEC-HPLC.