antibodies

Datasheet for ABIN7275604 SIGLEC10 Protein (Arg119Ala-Mutant) (His-Avi Tag)





Overview

3

Images

Quantity:	100 µg
Target:	SIGLEC10
Protein Characteristics:	Arg119Ala-Mutant
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SIGLEC10 protein is labelled with His-Avi Tag.

Product Details

Purpose:	Human Siglec-10 (R119A) Protein
Sequence:	Met17-Thr546
Characteristics:	Recombinant Human Siglec-10(R119A) Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Met17-Thr546.
Purity:	> 95 % as determined by Tris-Bis PAGE,
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μ g by the LAL method.
Biological Activity Comment:	Immobilized Human Siglec-10 (R119A) , His Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Anti-Siglec-10 (R119A) Antibody, hFc Tag with the EC50 of 10.5ng/ml determined by ELISA. See testing image for detail.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7275604 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

rai got Botano	
Target:	SIGLEC10
Alternative Name:	Siglec-10 (SIGLEC10 Products)
Background:	Siglec-10 is a ligand for CD52, the target of the therapeutic monoclonal antibody Alemtuzumab It is also reported to bind to Vascular adhesion protein 1 (VAP-1) and to the co-stimulatory molecule CD24 also known as HSA (Heat-stable antigen).Siglecs (sialic acid binding Ig-like lectins) are I-type lectins that belong to the immunoglobulin superfamily. They are characterized by an N-terminal Ig-like V-type domain which mediates sialic acid binding, followed by a varying number of Ig-like C2-type domains. Siglecs 5-11 constitute the CD33/Siglec-3 related group, and are differentially expressed in the hematopoietic system.
Molecular Weight:	62.64 kDa. Due to glycosylation, the protein migrates to 65-80 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 μ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in 20 mM Tris,150 mM NaCl, 200 mM Arginine (pH 8.0). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

mAU


40

35

30 25

20 15 10

Human Siglec-10(R119A), His Tag ELISA 0.05µg Human Siglec-10(R119A), His Tag Per Well




ELISA

Image 1. Immobilized Human Siglec-10 (R119A), His Tag at 0.5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Anti-Siglec-10 (R119A) Antibody, hFc Tag with the EC50 of 10.5 ng/mL determined by ELISA.

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human Siglec-10(R119A) is greater than 95 % as determined by SEC-HPLC.



10KD

SDS-PAGE

14 mi

Image 3. Human Siglec-10(R119A) on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7275604 | 01/18/2024 | Copyright antibodies-online. All rights reserved.