

Datasheet for ABIN7275637

Sclerostin Protein (SOST) (AA 24-213) (His-Avi Tag,Biotin)[Go to Product page](#)**3** Images

Overview

Quantity:	100 µg
Target:	Sclerostin (SOST)
Protein Characteristics:	AA 24-213
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Sclerostin protein is labelled with His-Avi Tag,Biotin.

Product Details

Purpose:	Biotinylated Human SOST/Sclerostin Protein
Sequence:	Gln24-Tyr213
Characteristics:	Recombinant Biotinylated Human SOST/Sclerostin Protein is expressed from HEK293 with His and Avi tag at the N-Terminus.It contains Gln24-Tyr213.
Purity:	> 95 % as determined by Tris-Bis PAGE
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Biotinylated Human SOST, His Tag at 0.5µg/ml (100µl/Well) on the plate. Dose response curve for Anti-SOST Antibody, hFc Tag with the EC50 of 9.9ng/ml determined by ELISA. See testing image for detail.

Target Details


Target:	Sclerostin (SOST)
Alternative Name:	SOST (SOST Products)
Background:	SOST, also known as sclerostin, is a member of the cerberus/DAN family, a group of secreted glycoproteins characterized by a cysteine-knot motif. SOST is negative regulator of bone growth that acts through inhibition of Wnt signaling and bone formation.
Molecular Weight:	24.2 kDa. Due to glycosylation,the protein migrates to 28-40 kDa based on Tris-Bis PAGE result.

Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE


Image 1. Biotinylated Human SOST on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .

Biotinylated Human SOST, His Tag ELISA
0.05µg Biotinylated Human SOST, His Tag Per Well



ELISA

Image 2. Immobilized Biotinylated Human SOST, His Tag at 0.5 µg/mL (100 µL/Well) on the plate. Dose response curve for Anti-SOST Antibody, hFc Tag with the EC50 of 9.9 ng/mL determined by ELISA.



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3. The purity of Biotinylated Human SOST is greater than 95 % as determined by SEC-HPLC.