antibodies -online.com





SIRP-beta Protein (AA 30-369) (His-Avi Tag)

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	SIRP-beta (SIRPB1A)
Protein Characteristics:	AA 30-369
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SIRP-beta protein is labelled with His-Avi Tag.

Product Details


Purpose:	Human SIRP Beta/CD172b Protein
Sequence:	Glu30-Ala369
Characteristics:	Recombinant Human SIRP Beta/CD172b Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Glu30-Ala369.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	SIRP-beta (SIRPB1A)
Alternative Name:	SIRP Beta (SIRPB1A Products)


Target Details

Background:	SIRP beta 1 is a type I transmembrane protein belonging to the SIRP family within the Ig
	superfamily. Members of this family are characterized by an extracellular region containing a V-
	set Ig domain containing a J-like sequence and two C1-set Ig domains.SIRP beta 1 is
	immunoglobulin-like cell surface receptor involved in the negative regulation of receptor
	tyrosine kinase-coupled signaling processes. Participates also in the recruitment of tyrosine
	kinase SYK. Triggers activation of myeloid cells when associated with TYROBP.
Molecular Weight:	40 kDa. Due to glycosylation, the protein migrates to 52-60 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu g/mL$ is
	recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as
	protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after
	reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into
	smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

 $\label{lemage 1.} \mbox{Human SIRP Beta on Tris-Bis PAGE under reduced} \\ \mbox{conditions. The purity is greater than 95 \%} \, .$



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human SIRP Beta is greater than 95 % as determined by SEC-HPLC.