

Datasheet for ABIN7275735

TIMD4 Protein (AA 25-314) (His tag)**2** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	TIMD4
Protein Characteristics:	AA 25-314
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TIMD4 protein is labelled with His tag.

Product Details

Purpose:	Human TIM-4 Protein
Sequence:	Glu25-Gln314
Characteristics:	Recombinant Human TIM-4 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Glu25-Gln314.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	TIMD4
Alternative Name:	TIM-4 (TIMD4 Products)

Target Details


Background:	Tim4 is a transmembrane protein as the phosphatidylserine (PS) receptor, known as T cell immunoglobulin and mucin domain containing protein-4. It is expressed highly in macrophages, and macrophage Tim-4 inhibits inflammation under various conditions of immune activation.
Molecular Weight:	32.43 kDa. Due to glycosylation, the protein migrates to 78-98 kDa based on Tris-Bis PAGE result.
Pathways:	Cancer Immune Checkpoints

Application Details

Restrictions:	For Research Use only
---------------	-----------------------


Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



SDS-PAGE

Image 1. Human TIM-4 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Human TIM-4 is greater than 95 % as determined by SEC-HPLC.