

Datasheet for ABIN7275840

**FLT4 Protein (AA 25-776) (His-Avi Tag,Biotin)**[Go to Product page](#)**3** Images

## Overview

Quantity:	100 µg
Target:	FLT4
Protein Characteristics:	AA 25-776
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FLT4 protein is labelled with His-Avi Tag,Biotin.

## Product Details

Purpose:	Biotinylated Human VEGF R3/FLT4 Protein
Sequence:	Tyr25-Ile776
Characteristics:	Recombinant Biotinylated Human VEGF R3/FLT4 Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus.It contains Tyr25-Ile776.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.
Biological Activity Comment:	Immobilized Human VEGF-C, His Tag at 2µg/ml (100µl/Well) on the plate. Dose response curve for Biotinylated Human VEGF R3, His Tag with the EC50 of 29.6ng/ml determined by ELISA. See testing image for detail.

## Target Details

---

Target:	FLT4
Alternative Name:	VEGF R3 ( <a href="#">FLT4 Products</a> )
Background:	Vascular endothelial growth factor (VEGF) and its receptors VEGF-R1, -R2 and -R3 play important roles in tumor angiogenesis and are associated with poor prognosis in several solid tumors. VEGF-R1, -R2 and -R3 were highly expressed in CRC cells and stromal vessels. VEGF-R1 strong positive staining correlated with shorter survival after CRC surgery.
Molecular Weight:	87.4 kDa. Due to glycosylation, the protein migrates to 115-130 kDa based on Tris-Bis PAGE result.
Pathways:	<a href="#">RTK Signaling</a> , <a href="#">Signaling Events mediated by VEGFR1 and VEGFR2</a> , <a href="#">VEGF Signaling</a>

## Application Details


---

Restrictions:	For Research Use only
---------------	-----------------------

## Handling


---

Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months



**SDS-PAGE**


**Image 1.** Biotinylated Human VEGF R3 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



**Size-exclusion chromatography-High Pressure Liquid Chromatography**

**Image 2.** The purity of Biotinylated Human VEGF R3 is greater than 95 % as determined by SEC-HPLC.

**Biotinylated Human VEGF R3, His Tag ELISA**  
0.2µg Human VEGF-C, His Tag Per Well



**ELISA**

**Image 3.** Immobilized Human VEGF-C, His Tag at 2 µg/mL (100 µL/Well) on the plate. Dose response curve for Biotinylated Human VEGF R3, His Tag with the EC50 of 29.6 ng/mL determined by ELISA.