# antibodies -online.com







### VSIG8 Protein (AA 22-263) (Fc Tag)

**Images** 



#### Overview

Quantity:	100 μg
Target:	VSIG8
Protein Characteristics:	AA 22-263
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This VSIG8 protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Human VSIG8 Protein
Sequence:	Val22-Gly263
Characteristics:	Recombinant Human VSIG8 Protein is expressed from HEK293 with Fc tag at the C-Terminus.It contains Val22-Gly263.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

#### **Target Details**


Target:	VSIG8
Alternative Name:	VSIG8 (VSIG8 Products)

#### **Target Details**

Expiry Date:


12 months

901 2 010110	
Background:	VSIG8 (V-Set And Immunoglobulin Domain Containing 8) is a Protein Coding gene. Diseases associated with VSIG8 include Retinitis Pigmentosa 30 and Monilethrix. An important paralog of this gene is CXADR. The present work helps characterize the component V-set and immunoglobulin domain containing 8 (VSIG8) in hair shaft and nail plate to assist in understanding its possible relation to disease states.
Molecular Weight:	53.8 kDa. Due to glycosylation, the protein migrates to 55-60 kDa based on Tris-Bis PAGE result
UniProt:	P0DPA2
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.



#### **SDS-PAGE**

Image 1. Human VSIG8 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



## Size-exclusion chromatography-High Pressure Liquid Chromatography

**Image 2.** The purity of Human VSIG8 is greater than 95% as determined by SEC-HPLC.