

Datasheet for ABIN7275851

XPNPEP2 Protein (AA 23-650) (His tag)**2** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	XPNPEP2
Protein Characteristics:	AA 23-650
Origin:	Rat
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This XPNPEP2 protein is labelled with His tag.

Product Details

Purpose:	Rat XPNPEP2 Protein
Sequence:	Pro23-Ala650
Characteristics:	Recombinant Rat XPNPEP2 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Pro23-Ala650.
Purity:	> 95 % as determined by Tris-Bis PAGE, > 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per µg by the LAL method.

Target Details

Target:	XPNPEP2
Alternative Name:	XPNPEP2 (XPNPEP2 Products)

Target Details

Background:	Aminopeptidase P2 (XPNPEP2) is a receptor for TMTP1 tumor-homing peptide. However, the biological and clinical significance of Aminopeptidase P2 in human cancers remains unknown.
Molecular Weight:	72.05 kDa. Due to glycosylation, the protein migrates to 75-85 kDa based on Tris-Bis PAGE result.
UniProt:	Q99MA2


Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling


Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months

Images



SDS-PAGE

Image 1. Rat XPNPEP2 on Tris-Bis PAGE under reduced condition. The purity is greater than 95 % .



Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. The purity of Rat XPNPEP2 is greater than 95 % as determined by SEC-HPLC.