# antibodies - online.com











$\sim$			
	$  \backslash / \cap$	r\/I	$\triangle V$

Quantity:	100 μg
Target:	Ly76
Reactivity:	Mouse
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This Ly76 antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)

#### **Product Details**

Clone:

TER-119

Isotype:	IgG2b kappa
Purification:	This monoclonal antibody was purified from tissue culture supernatant via affinity
	chromatography. The purified antibody was conjugated under optimal conditions, with
	unreacted dye removed from the preparation. It is recommended to store the product undiluted
	at 4°C, and protected from prolonged exposure to light. Do not freeze.

# **Target Details**

Target:	Ly76	
Alternative Name:	TER-119 (Ly76 Products)	
Background:	The TER-119 antibody is named for the antigen to which it binds, a 52 kDa surface protein that is associated with glycophorin-A. TER-119 is considered to be a lineage marker for later stages	

#### **Target Details**

	of erythroid cell development, as its expression begins at the pro-erythroblast stage. TER-119	
	antigen is not expressed at either BFU-E or CFU-E stages, i.e. prior to the pro-erythroblast stage.	
Gene ID:	104231	

# **Application Details**

Application Notes:	This antibody preparation has been quality-tested for flow cytometry using mouse spleen cells,	
	or an appropriate cell type (where indi-cated). The amount of antibody required for optimal	
	staining of a cell sample should be determined empirically in your system.	
Comment:	0.5 mg/mL	
Restrictions:	For Research Use only	

# Handling

**Images** 

Buffer:	10 mM NaH2PO4, 150 mM NaCl, 0.09 % Sodium azide, 0.1 % gelatin, pH 7.2
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	2-8°C protected from light
Expiry Date:	12 months

# Mouse TER-119 (TER-119) FITC


CD45 APC

#### **Flow Cytometry**

**Image 1.** C57Bl/6 bone marrow cells were stained with APC Anti-Mouse CD45 and 0.03 µg FITC Anti-Mouse TER-119 (TER-119) manufactured by antibodies-online (left panel) or BD Biosciences (right panel).

102

CD45 APC



#### **Flow Cytometry**

**Image 2.** C57Bl/6 bone marrow cells were stained with APC Anti-Mouse CD45 (ABIN6961418) and  $0.03\,\mu g$  FITC Anti-Mouse TER-119 (ABIN6961418) (right panel) or  $0.03\,\mu g$  FITC Rat IgG2b isotype control (left panel).