

Datasheet for ABIN7278380

anti-Interferon gamma antibody (PE-Cy5)

XMG1-2



_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Quantity:	100 μg	
Target:	Interferon gamma (IFNG)	
Reactivity:	Mouse	
Host:	Rat	
Clonality:	Monoclonal	
Conjugate:	This Interferon gamma antibody is conjugated to PE-Cy5	
Application:	Flow Cytometry (FACS)	

Product Details

Clone:

Isotype:	IgG1 kappa
Purification:	This monoclonal antibody was purified from tissue culture supernatant via affinity
	chromatography. The purified antibody was conjugated under optimal conditions, with
	unreacted dye removed from the preparation. It is recommended to store the product undiluted
	at 4°C, and protected from prolonged exposure to light. Do not freeze.

Target Details

Target:	Interferon gamma (IFNG)
Alternative Name:	IFN gamma (IFNG Products)
Background:	The XMG1.2 antibody is specific for mouse Interferon-gamma (IFN-g), a 20 kDa type II cytokine
	known for its central roles in protection against bacterial or viral pathogens and for its anti-

$tumor\ properties.\ IFN-g\ is\ secreted\ by\ several\ types\ of\ immune\ cells\ which\ allow\ the\ cytokine$		
to modulate innate immunity when secreted by NK and NKT cells, and to function in support of		
daptive immunity when secreted by Th1 and CD8+ T cells (CTLs).The XMG1.2 antibody	'is	
uitable for detection of intracellular IFN-g protein by flow cytometry. This format can be	used	
for quantitative analysis of the secreted protein by ELISA when paired with an appropriate		
capture antibody. This clone has been reported for neutralization of the functional activity of		
N-g in a variety of assays (use format suitable for functional assays).		

Gene ID: 15978

UniProt: P01580

Interferon-gamma Pathway, Cellular Response to Molecule of Bacterial Origin, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, ER-Nucleus Signaling, Regulation of Carbohydrate Metabolic Process, Protein targeting to Nucleus, Autophagy

Application Details

Application Notes:

Pathways:

This antibody preparation has been quality-tested for flow cytometry using mouse spleen cells, or an appropriate cell type (where indicated). Please refer to the figure legend for the optimal concentration used to stain the tissue shown. We recommend titrating the antibody under your specific conditions to determine the optimal concentration of antibody needed in your experimental system.

Comment: 0.2 mg/mL

Restrictions: For Research Use only

Handling

Buffer:	10 mM NaH2PO4, 150 mM NaCl, 0.09 % Sodium azide 0.1 % gelatin, pH 7.2	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C	
Storage Comment:	2-8°C protected from light	
Expiry Date:	12 months	