antibodies

Datasheet for ABIN7278471 anti-CD45RA antibody (PerCP-Cy5.5)

Image



Overview

Quantity:	100 tests
Target:	CD45RA
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD45RA antibody is conjugated to PerCP-Cy5.5
Application:	Flow Cytometry (FACS)

Product Details

Clone:	HI100
Isotype:	IgG2b kappa
Cross-Reactivity:	Chimpanzee
Purification:	This monoclonal antibody was purified from tissue culture supernatant via affinity chromatography. The purified antibody was conjugated under optimal conditions, with unreacted dye removed from the preparation. It is recommended to store the product undiluted at 4°C, and protected from prolonged exposure to light. Do not freeze.

Target Details

Target:	CD45RA
Alternative Name:	CD45RA (CD45RA Products)
Background:	The HI100 antibody reacts with the human CD45 isoform known as CD45RA, a protein tyrosine


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7278471 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

	phosphatase of 220 kDa. CD45 is one of the most abundant hematopoietic markers, and is
	expressed on all leukocytes (the Leukocyte Common Antigen, LCA). Various isoforms are
	generated and expressed in cell- specific patterns. With their broad cell distribution, CD45
	isoforms are critical for many leukocyte functions, regulating signal transduction and cell
	activation associated with the T cell receptor, B cell receptor, and IL-2 receptor. Other forms of
	CD45, with restricted cellular expression, include CD45R (B220), CD45RB, CD45RO and
	others.The HI100 antibody is widely used as a marker for human CD45RA expression on na ve
	and activated T cells, B cells, and monocytes.
Gene ID:	5788
UniProt:	P08575

Application Details

Application Notes:	This antibody preparation has been pre-titrated and quality-tested for flow cytometry using an appropriate cell type. The antibody has been diluted for use at 5 μ L per test, defined as the amount of antibody that will stain a cell sample in a final volume of approximately 100 μ L. The number of cells within a sample should be determined empirically, but typically ranges between 1x10e5 to 1x10e8 cells.
Comment:	5 µL (0.06 µg)/test
Restrictions:	For Research Use only
Handling	
Buffer:	10 mM NaH2PO4, 150 mM NaCl, 0.09 % Sodium azide, 0.1 % gelatin, pH 7.2
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	2-8°C protected from light
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7278471 | 09/10/2023 | Copyright antibodies-online. All rights reserved.



Human CD45RA (HI100) PerCP-Cy5.5

Flow Cytometry

Image 1. Human peripheral blood lymphocytes were stained with $5 \mu L(0.06 \mu g)$ PerCP-Cy5.5 Anti-Human CD45RA (ABIN6961680) (solid line) or 0.06 μg PerCP-Cy5.5 Mouse IgG2b isotype control (dashed line).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7278471 | 09/10/2023 | Copyright antibodies-online. All rights reserved.