

Datasheet for ABIN7281237

CST3 Protein (AA 21-140) (His tag)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µg
Target:	CST3
Protein Characteristics:	AA 21-140
Origin:	Mouse
Source:	Baculovirus infected Insect Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CST3 protein is labelled with His tag.
Application:	SDS-PAGE (SDS)

Product Details

Sequence:	ATPKQGPRML GAPEEADANE EGVRRALDFA VSEYNKGSND AYHSRAIQVV RARKQLVAGV NYFLDVEMGR TTCTKSQTNL TDCPFHDQPH LMRKALCSFQ IYSVPWKGTH SLTKFSCKNA HHHHHH
Purity:	> 95 % by SDS - PAGE
Endotoxin Level:	< 1.0 EU per 1 microgram of protein (determined by LAL method)
Biological Activity Comment:	The IC ₅₀ value is < 1.0nM. The inhibitory function of Cystatin 3 on protease activity of papain was measured by a fluorometric assay using Z-FR-AMC at pH 7.5 at 25C

Target Details

Target:	CST3
---------	------

Target Details


Alternative Name:	Cystatin-C (CST3 Products)
Background:	CST3, also known as Cystatin-C is a member of family 2 of the cystatin superfamily. This protein is a secreted type 2 cysteine protease inhibitor synthesized in all nucleated cells, has been proposed as a replacement for serum creatinine for the assessment of renal function, particularly to detect small reductions in glomerular filtration rate. It is involved in processes such as tumor invasion and metastasis, inflammation and some neurological diseases. It inhibits many cysteine proteases such as papain and cathepsins B, H, K, L and S. It indicates that a murine model should be relevant for studies of the human disease, hereditary Cystatin C amyloid angiopathy. Recombinant Mouse CST3, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.
Molecular Weight:	14.2kDa (126aa) confirmed by MALDI-TOF 13.5-18kDa (SDS-PAGE under reducing conditions.)
NCBI Accession:	NP_034106
UniProt:	P21460

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Bioactivity Validated
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10 % glycerol.
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Can be stored at +4C short term (1-2 weeks). For long term storage, aliquot and store at -20C or -70C. Avoid repeated freezing and thawing cycles.



15% SDS-PAGE (3ug)

SDS-PAGE
Image 1.