

Datasheet for ABIN729275 anti-DEK antibody (AA 101-200) (FITC)



Overview

Quantity:	100 μL
Target:	DEK
Binding Specificity:	AA 101-200
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DEK antibody is conjugated to FITC
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DEK
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	DEK
Alternative Name:	DEK (DEK Products)

Target Details

rarget betails		
Synonyms: D6S231E, Dek, DEK gene, DEK oncogene, DEK oncogene DNA binding, DNA binding		
DEK_HUMAN, OTTHUMP00000039357, Protein DEK. Background: The DEK gene encodes a protein with one SAP domain. This protein binds to cruciform and superhelical DNA which then induces positive supercoils into closed circular DNA, and is also involved during mRNA processing in splice site selection. Chromosomal aberrations involving this region, increased expression of this gene, and the presence of against this protein are all associated with various diseases. Two transcript variants encoding different		
	isoforms have been found for this gene.	
	7913	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200		
For Research Use only		
Liquid		
1 μg/μL		
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
ProClin		
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
handled by trained staff only.		
-20 °C		
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.		
12 months		