

## Datasheet for ABIN7295618

# anti-ETV1 antibody (N-Term)

2 Images



#### Overview

Quantity:	100 μL
Target:	ETV1
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ETV1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human ETV1.
Specificity:	Recognizes endogenous levels of ETV1 protein.
Characteristics:	Rabbit polyclonal antibody to ETV1
Characteristics:  Purification:	Rabbit polyclonal antibody to ETV1  The antibody was purified by immunogen affinity chromatography.
Purification:	
Purification: Target Details	The antibody was purified by immunogen affinity chromatography.
Purification:  Target Details  Target:	The antibody was purified by immunogen affinity chromatography.  ETV1

## **Target Details**

Gene ID:	2115, 14009
UniProt:	P50549, P41164


## **Application Details**

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200), IP (1:10 - 1:100)
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

## **Images**



## Immunohistochemistry

Image 1. Immunohistochemical analysis of ETV1 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



## **Western Blotting**

**Image 2.** Western blot analysis of ETV1 expression in mouse brain (A) whole cell lysates.