antibodies - online.com







anti-RAP1GAP antibody (C-Term)

Images



\sim	
()\/\	rview
\cup	

Background:

Quantity:	100 μL
Target:	RAP1GAP
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RAP1GAP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RAP1GAP.
Specificity:	Recognizes endogenous levels of RAP1GAP protein.
Characteristics:	Rabbit polyclonal antibody to RAP1GAP
Purification:	The antibody was purified by immunogen affinity chromatography.
Target Details	
Target:	RAP1GAP
Alternative Name:	RAP1GAP (RAP1GAP Products)

KIAA0474, RAP1GA1, Rap1 GTPase-activating protein 1, Rap1GAP, Rap1GAP1

Target Details

Gene ID:	5909, 110351
UniProt:	P47736, A2ALS5


Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of RAP1GAP staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western Blotting

Image 2. Western blot analysis of RAP1GAP expression in Jurkat (A), HeLa (B), mouse brain (C) whole cell lysates.