

Datasheet for ABIN7297370
anti-Cullin 3 antibody (N-Term)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	Cullin 3 (CUL3)
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Cullin 3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human Cullin 3.
Specificity:	Recognizes endogenous levels of Cullin 3 protein.
Characteristics:	Rabbit polyclonal antibody to Cullin 3
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	Cullin 3 (CUL3)
Alternative Name:	Cullin 3 (CUL3 Products)
Background:	KIAA0617, Cullin-3, CUL-3

Target Details

Gene ID: 8452, 26554, 301555

UniProt: [Q13618](#), [Q9JLV5](#), [B5DF89](#)

Pathways: [M Phase](#)

Application Details

Application Notes: WB (1:500 - 1:1000), IH (1:100 - 1:200)

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.


Expiry Date: 12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of Cullin 3 staining in human tonsil formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western Blotting

Image 2. Western blot analysis of Cullin 3 expression in MDAMB231 (A), MDAMB468 (B), NIH3T3 (C), PC12 (D) whole cell lysates.