

Datasheet for ABIN7297814  
**anti-TAF6L antibody (N-Term)**

## 2 Images

[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	TAF6L
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAF6L antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human TAF6L.
Specificity:	Recognizes endogenous levels of TAF6L protein.
Characteristics:	Rabbit polyclonal antibody to TAF6L
Purification:	The antibody was purified by immunogen affinity chromatography.

## Target Details

Target:	TAF6L
Alternative Name:	TAF6L ( <a href="#">TAF6L Products</a> )
Background:	PAF65A, TAF6-like RNA polymerase II p300/CBP-associated factor-associated factor 65 kDa

## Target Details

	subunit 6L, PCAF-associated factor 65-alpha, PAF65-alpha
Gene ID:	10629, 225895
UniProt:	<a href="#">Q9Y6J9</a> , <a href="#">Q8R2K4</a>


## Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

## Images



### Immunohistochemistry

**Image 1.** Immunohistochemical analysis of TAF6L staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western Blotting

**Image 2.** Western blot analysis of TAF6L expression in HeLa (A), Jurkat (B), rat brain (C) whole cell lysates.