# antibodies - online.com







# anti-RCC2 antibody (C-Term)

**Images** 



$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Overview		
Quantity:	100 μL	
Target:	RCC2	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RCC2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunoprecipitation (IP)	
Product Details		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RCC2.	
Specificity:	Recognizes endogenous levels of RCC2 protein.	
Characteristics:	Rabbit polyclonal antibody to RCC2	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	RCC2	
Alternative Name:	RCC2 (RCC2 Products)	
Background:	KIAA1470, TD60, Protein RCC2, RCC1-like protein TD-60, Telophase disk protein of 60 kDa	

### **Target Details**

Gene ID:	55920, 108911
UniProt:	Q9P258, Q8BK67


# **Application Details**

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200), IP (1:10 - 1:100)
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

### **Images**



### Immunohistochemistry

**Image 1.** Immunohistochemical analysis of RCC2 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



## **Western Blotting**

**Image 2.** Western blot analysis of RCC2 expression in HeLa (A), A549 (B), MOLT4 (C), NIH3T3 (D) whole cell lysates.