
antibodies -online.com





anti-KAT2A antibody (C-Term)

2 Images



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Alternative Name:

Background:

Quantity:	100 μL	
Target:	KAT2A	
Binding Specificity:	C-Term	
Reactivity:	Human, Mouse, Rat, Chicken	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KAT2A antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC)	
Product Details		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of	
	human GCN5.	
Specificity:	Recognizes endogenous levels of GCN5 protein.	
Characteristics:	Rabbit polyclonal antibody to GCN5	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	KAT2A	

GCN5, GCN5L2, HGCN5, Histone acetyltransferase KAT2A, General control of amino acid

GCN5 (KAT2A Products)

Target Details


	synthesis protein 5-like 2, Histone acetyltransferase GCN5, HsGCN5, Lysine acetyltransferase 2A, STAF97
Gene ID:	2648, 14534
UniProt:	Q92830, Q9JHD2
Pathways:	Chromatin Binding, Tube Formation


Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months





Immunohistochemistry

Image 1. Immunohistochemical analysis of GCN5 staining in human lung cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Western Blotting

Image 2. Western blot analysis of GCN5 expression in K562 (A), A431 (B), mouse brain (C) whole cell lysates.