

Datasheet for ABIN7299816  
**anti-HNRPLL antibody (Center)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 µL
Target:	HNRPLL
Binding Specificity:	Center
Reactivity:	Human, Mouse, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRPLL antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human hnRNP LL.
Specificity:	Recognizes endogenous levels of hnRNP LL protein.
Characteristics:	Rabbit polyclonal antibody to hnRNP LL
Purification:	The antibody was purified by immunogen affinity chromatography.

## Target Details

Target:	HNRPLL
Alternative Name:	HnRNP LL ( <a href="#">HNRPLL Products</a> )
Background:	SRRF, Heterogeneous nuclear ribonucleoprotein L-like, hnRNPLL, Stromal RNA-regulating factor

## Target Details

Gene ID:	92906, 72692
UniProt:	<a href="#">Q8WVV9</a> , <a href="#">Q921F4</a>


## Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

## Images



### Immunohistochemistry

**Image 1.** Immunohistochemical analysis of hnRNP LL staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western Blotting

**Image 2.** Western blot analysis of hnRNP LL expression in HepG2 (A), K562 (B) whole cell lysates.