antibodies - online.com







anti-SPAG5 antibody (N-Term)





| \sim | | | | | |
|--------|-----|----|----|-------------|---|
| | 1// | r۱ | /1 | \triangle | ٨ |

| Overview | |
|----------------------|--|
| Quantity: | 100 μL |
| Target: | SPAG5 |
| Binding Specificity: | N-Term |
| Reactivity: | Human, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This SPAG5 antibody is un-conjugated |
| Application: | Western Blotting (WB) |
| Product Details | |
| Immunogen: | KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of |

| Immunogen: | KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of | |
|------------------|--|--|
| | human MAP126. | |
| Specificity: | Recognizes endogenous levels of MAP126 protein. | |
| Characteristics: | Rabbit polyclonal antibody to MAP126 | |
| Purification: | The antibody was purified by immunogen affinity chromatography. | |

Target Details

| Target: | SPAG5 |
|---|-------------------------|
| Alternative Name: | MAP126 (SPAG5 Products) |
| Background: Sperm-associated antigen 5, Astrin, Deepest, Mitotic spindle-associated protein p126, M | |

Target Details

| Gene ID: | 10615, 54141 |
|-----------|----------------|
| UniProt: | Q96R06, Q7TME2 |
| Pathways: | M Phase |


Application Details

| Application Notes: | WB (1:500 - 1:1000) |
|--------------------|-----------------------|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Buffer: | Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles. |
| Expiry Date: | 12 months |

Images



Western Blotting

Image 1. Western blot analysis of MAP126 expression in HEK293T (A), PC12 (B) whole cell lysates.