

Datasheet for ABIN7300128
anti-MED28 antibody (Center)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	MED28
Binding Specificity:	Center
Reactivity:	Human, Mouse, Rat, Cow, Zebrafish (Danio rerio)
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MED28 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human MED28.
Specificity:	Recognizes endogenous levels of MED28 protein.
Characteristics:	Rabbit polyclonal antibody to MED28
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	MED28
Alternative Name:	MED28 (MED28 Products)
Background:	EG1, Mediator of RNA polymerase II transcription subunit 28, Endothelial-derived protein 1,

Target Details


	Mediator complex subunit 28, Merlin and Grb2-interacting cytoskeletal protein, Magicin, Tumor angiogenesis marker EG-1
Gene ID:	80306, 66999, 305391
UniProt:	Q9H204 , Q920D3 , P68943
Pathways:	Stem Cell Maintenance , Regulation of Muscle Cell Differentiation

Application Details

Application Notes:	WB (1:500 - 1:1000)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of MED28 expression in Raw264.7 (A), PC12 (B) whole cell lysates.