# antibodies - online.com







# anti-CDH19 antibody (Center)





Co.	ta D	roo	LIOT	page
CJC)	IU F	LUU	uu	Daue

$\sim$		
( )\/(	⊃r\/I	iew
O V 1		I C V V

0.0		
Quantity:	100 μL	
Target:	CDH19	
Binding Specificity:	Center	
Reactivity:	Human, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CDH19 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF),	
	Immunochromatography (IC)	
Product Details		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human	
	Cadherin 19.	
Specificity:	Recognizes endogenous levels of Cadherin 19 protein.	
Characteristics:	Rabbit polyclonal antibody to Cadherin 19	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	CDH19	
Alternative Name:	Cadherin 19 (CDH19 Products)	

#### **Target Details**

Background:	CDH7L2, Cadherin-19
Gene ID:	28513
UniProt:	Q9H159


# **Application Details**

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200), IF/IC (1:100 - 1:500)
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

#### **Images**



# **Immunohistochemistry**

Image 1. Immunohistochemical analysis of Cadherin 19 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugad compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX. w



#### **Western Blotting**

Image 2. Western blot analysis of Cadherin 19 expression in COLO205 (A), NIH3T3 (B) whole cell lysates.