antibodies -online.com





anti-RPL37A antibody (Center)

2 Images



Overview

Overview	
Quantity:	100 μL
Target:	RPL37A
Binding Specificity:	Center
Reactivity:	Human, Mouse, Rat, Cow
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RPL37A antibody is un-conjugated
Application:	Immunohistochemistry (IHC), Western Blotting (WB)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human RPL37A.
Specificity:	Recognizes endogenous levels of RPL37A protein.
Characteristics:	Rabbit polyclonal antibody to RPL37A
Purification:	The antibody was purified by immunogen affinity chromatography.
Target Details	
Target:	RPL37A
Alternative Name:	RPL37A (RPL37A Products)
Background:	60S ribosomal protein L37a

Target Details

Gene ID:	6168, 19981, 100361520
UniProt:	P61513, P61514, D4AAZ6


Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of RPL37A staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugad compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Western Blotting

Image 2. Western blot analysis of RPL37A expression in HeLa (A), HEK293T (B), Raw264.7 (C), H9C2 (D) whole cell lysates.