antibodies - online.com







anti-DIDO1 antibody (N-Term)





\sim	
()\/\	rview
\circ	

Overview	
Quantity:	100 μL
Target:	DIDO1
Binding Specificity:	N-Term
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human DIDO1.
Specificity:	Recognizes endogenous levels of DIDO1 protein.
Characteristics:	Rabbit polyclonal antibody to DIDO1
Purification:	The antibody was purified by affinity chromatography.
Target Details	
Target:	DIDO1
Alternative Name:	DIDO1 (DIDO1 Products)
Background:	C20orf158, DATF1, KIAA0333, Death-inducer obliterator 1, DIO-1, hDido1, Death-associated transcription factor 1, DATF-1

Target Details

Gene ID:	11083
UniProt:	Q9BTC0
Pathways:	Hormone Activity


Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in PBS, pH 7.3, 0.2 % BSA, and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of DIDO1 staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated wi



Western Blotting

Image 2. Western blot analysis of DIDO1 expression in HepG2 (A), Jurkat (B) whole cell lysates.