.-online.com antibodies

Datasheet for ABIN7303278 anti-TAUT antibody (C-Term)

2 Images



Overview

Quantity:	100 µL
Target:	TAUT
Binding Specificity:	C-Term
Reactivity:	Human, Rat, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of
	human Taurine Transporter.
Specificity:	Recognizes endogenous levels of Taurine Transporter protein.
Characteristics:	Rabbit polyclonal antibody to Taurine Transporter

Purification: The antibody was purified by affinity chromatography.

Target Details

Target:	TAUT
Alternative Name:	Taurine Transporter (TAUT Products)
Background:	Sodium- and chloride-dependent taurine transporter, Solute carrier family 6 member 6
Gene ID:	6533, 21366, 29464

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7303278 | 04/13/2024 | Copyright antibodies-online. All rights reserved.

Target Details


UniProt:

P31641, O35316, P31643

Application Details


· ·	
Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in PBS, pH 7.3, 0.2 % BSA, and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of Taurine Transporter staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pretreated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was the



Western Blotting

Image 2. Western blot analysis of Taurine Transporter expression in Jurkat (A) whole cell lysates.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7303278 | 04/13/2024 | Copyright antibodies-online. All rights reserved.