

Datasheet for ABIN7303492

**anti-TAGAP antibody****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	TAGAP
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAGAP antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

## Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human TAGAP.
Specificity:	Recognizes endogenous levels of TAGAP protein.
Characteristics:	Rabbit polyclonal antibody to TAGAP
Purification:	The antibody was purified by affinity chromatography.

## Target Details

Target:	TAGAP
Alternative Name:	TAGAP ( <a href="#">TAGAP Products</a> )
Background:	TAGAP1, T-cell activation Rho GTPase-activating protein, T-cell activation GTPase-activating protein

Target Details

Gene ID:	117289, 72536
UniProt:	<a href="#">Q8N103</a> , <a href="#">B2RWW0</a>


Application Details

Application Notes:	WB (1:500 - 1:2000), IH (1:50 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Western Blotting

**Image 1.** Western blot analysis of TAGAP expression in HeLa (A), RAW264.7 (B), PC12 (C) whole cell lysates.



#### Immunohistochemistry

**Image 2.** Immunohistochemical analysis of TAGAP staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated wi