

Datasheet for ABIN7303540
anti-eEF1A1 antibody (acLys146)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	eEF1A1 (EEF1A1)
Binding Specificity:	acLys146
Reactivity:	Human, Mouse, Rat, Cow, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This eEF1A1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the center region of human EEF1A.
Specificity:	Recognizes endogenous levels of EEF1A (AcK146) protein.
Characteristics:	Rabbit polyclonal antibody to EEF1A (AcK146)
Purification:	The antibody was purified by affinity chromatography.

Target Details

Target:	eEF1A1 (EEF1A1)
Alternative Name:	EEF1A (EEF1A1 Products)
Background:	EEF1A1, EEF1A, EF1A, LENG7, Elongation factor 1-alpha 1, EF-1-alpha-1, Elongation factor Tu,

Target Details

EF-Tu, Eukaryotic elongation factor 1 A-1, eEF1A-1, Leukocyte receptor cluster member 7, EEF1A2, EEF1AL, STN, Elongation factor 1-alpha 2, EF-1-alpha-2, Eukaryotic elongation factor 1 A-2, eEF1A-2, Statin-S1, EEF1A1P5, EEF1AL3, Putative elongation factor 1-alpha-like 3, EF-1-alpha-like 3, Eukaryotic elongation factor 1 A-like 3, eEF1A-like 3, Eukaryotic translation elongation factor 1 alpha-1 pseudogene 5

Gene ID: 1915, 1917, 13627

UniProt: [P68104](#), [Q05639](#), [Q5VTE0](#), [P10126](#), [P62631](#), [P62630](#), [P62632](#)

Application Details

Application Notes: WB (1:500 - 1:2000)

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.

Expiry Date: 12 months



Western Blotting

Image 1. Western blot analysis of EE1A (AcK146) expression in H9C2 PMA-treated (A) whole cell lysates.