

Datasheet for ABIN7303702

anti-HNRNPC antibody (C-Term, pSer260)

2 Images



Go to Product page

_			
	IVe	rv	iew

Quantity:	100 μL
Target:	HNRNPC
Binding Specificity:	C-Term, pSer260
Reactivity:	Human, Rat, Mouse, Rabbit
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRNPC antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)
Product Details	
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human hNRNP C (pS260).
Immunogen: Specificity:	
	human hNRNP C (pS260).
Specificity:	human hNRNP C (pS260). Recognizes endogenous levels of hNRNP C (pS260) protein.
Specificity: Characteristics:	human hNRNP C (pS260). Recognizes endogenous levels of hNRNP C (pS260) protein. Rabbit polyclonal antibody to hNRNP C (pS260)
Specificity: Characteristics: Purification:	human hNRNP C (pS260). Recognizes endogenous levels of hNRNP C (pS260) protein. Rabbit polyclonal antibody to hNRNP C (pS260)
Specificity: Characteristics: Purification: Target Details	human hNRNP C (pS260). Recognizes endogenous levels of hNRNP C (pS260) protein. Rabbit polyclonal antibody to hNRNP C (pS260) The antibody was purified by immunogen affinity chromatography.
Specificity: Characteristics: Purification: Target Details Target:	human hNRNP C (pS260). Recognizes endogenous levels of hNRNP C (pS260) protein. Rabbit polyclonal antibody to hNRNP C (pS260) The antibody was purified by immunogen affinity chromatography. HNRNPC

Target Details

Gene ID:	3183, 15381
UniProt:	P07910, Q9Z204, P17132


Application Details

Application Notes:	WB (1:500 - 1:1000), IH (1:100 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunohistochemistry

Image 1. Immunohistochemical analysis of hNRNP C (pS260) staining in human breast cancer formalin fixed paraffin embedded tissue section. The section was pretreated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then in



Western Blotting

Image 2. Western blot analysis of hNRNP C (pS260) expression in Hela (A), K562 (B), HEK293T (C) whole cell lysates.