# antibodies -online.com







# anti-EFHD1 antibody

**Images** 



$\sim$							
	1//	$\Box$	$r \setminus$	/ [	$\bigcirc$	1	٨,

Overview		
Quantity:	100 μL	
Target:	EFHD1	
Reactivity:	Human, Mouse, Rat	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This EFHD1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	
Product Details		
Immunogen:	KLH-conjugated synthetic peptide encompassing a sequence of human Swiprosin-2.	
Specificity:	Recognizes endogenous levels of Swiprosin-2 protein.	
Characteristics:	Mouse monoclonal to Swiprosin-2	
Target Details		
Target:	EFHD1	

Target:	EFHD1	
Alternative Name:	Swiprosin-2 (EFHD1 Products)	
Background:	SWS2, EF-hand domain-containing protein D1, EF-hand domain-containing protein 1, Swiprosin-	
Gene ID:	80303, 98363	
UniProt:	Q9BUP0, Q9D4J1	


## **Application Details**

Application Detaile		
Application Notes:	WB (1:1000 - 1:2000), IF/IC (1:100 - 1:200)	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	

# **Images**

Expiry Date:

Storage Comment:




12 months

#### **Immunofluorescence**

Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.

**Image 1.** Immunofluorescent analysis of Swiprosin-2 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary ant



## **Western Blotting**

**Image 2.** Western blot analysis of Swiprosin-2 expression in mouse spleen (A), rat spleen (B) whole cell lysates.