antibodies .- online.com





anti-TBRG4 antibody

2 Images



Go to Product page

\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	100 μL	
Target:	TBRG4	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TBRG4 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	
Product Details		
Immunogen:	Recombinant full length protein of human TBRG4	
Specificity:	Recognizes endogenous levels of TBRG4 protein.	
Characteristics:	Rabbit polyclonal antibody to TBRG4	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	TBRG4	
Alternative Name:	TBRG4 (TBRG4 Products)	
Background:	ound: CPR2, FASTKD4, KIAA0948, Protein TBRG4, Cell cycle progression restoration protein 2, C	

factor beta regulator 4

Target Details

Gene ID:	9238, 21379, 360977
UniProt:	Q969Z0, Q91YM4, Q5M9G9


Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of TBRG4 staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

Image 2. Western blot analysis of TBRG4 expression in Hela (A), HepG2 (B) whole cell lysates.