

Datasheet for ABIN7306058

anti-U2AF2 antibody**2** Images[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	U2AF2 (U2AF59)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This U2AF2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Immunogen:	Recombinant full length protein of human U2AF65
Specificity:	Recognizes endogenous levels of U2AF65 protein.
Characteristics:	Rabbit polyclonal antibody to U2AF65
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	U2AF2 (U2AF59)
Alternative Name:	U2AF65 (U2AF59 Products)
Background:	U2AF65, Splicing factor U2AF 65 kDa subunit, U2 auxiliary factor 65 kDa subunit, hU2AF(65), hU2AF65, U2 snRNP auxiliary factor large subunit
Gene ID:	11338, 22185

Target Details

UniProt: [P26368](#), [P26369](#)

Application Details

Application Notes: WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.


Expiry Date: 12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of U2AF65 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

Image 2. Western blot analysis of U2AF65 expression in Jurkat (A), SW620 (B), mouse spleen (C) whole cell lysates.