
# antibodies -online.com





# anti-Eppin antibody

2 Images



Go to Product page

$\sim$					
	1//6	r	<b>V</b> I	$\Theta$	Λ

Overview		
Quantity:	100 μL	
Target:	Eppin (SPINLW1)	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Eppin antibody is un-conjugated	
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	
Product Details		
Immunogen:	Recombinant full length protein of human Eppin	
Specificity:	Recognizes endogenous levels of Eppin protein.	
Characteristics:	Rabbit polyclonal antibody to Eppin	
Purification:	The antibody was purified by immunogen affinity chromatography.	
Target Details		
Target:	Eppin (SPINLW1)	
Alternative Name:	Eppin (SPINLW1 Products)	
Background:	SPINLW1, WAP7, WFDC7, Eppin, Cancer/testis antigen 71, CT71, Epididymal protease inhibitor, Protease inhibitor WAP7, Serine protease inhibitor-like with Kunitz and WAP domains 1, WAP four-disulfide core domain protein 7	

## **Target Details**

Gene ID:	100526773, 57119, 75526
UniProt:	095925, Q9DA01


# **Application Details**

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only

# Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

### **Images**



#### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of Eppin staining in HepG2 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



### **Western Blotting**

**Image 2.** Western blot analysis of Eppin expression in THP1 (A), mouse liver (B), mouse testis (C) whole cell lysates.