# antibodies - online.com







## anti-D Amino Acid Oxidase antibody

**Images** 



#### Overview

Quantity:	100 μL
Target:	D Amino Acid Oxidase (DAO)
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This D Amino Acid Oxidase antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

## **Product Details**

Immunogen:	Recombinant full length protein of human DAO
Specificity:	Recognizes endogenous levels of DAO protein.
Characteristics:	Rabbit polyclonal antibody to DAO
Purification:	The antibody was purified by immunogen affinity chromatography.


## Target Details

Target:	D Amino Acid Oxidase (DAO)
Alternative Name:	D-Amino-Acid Oxidase (DAO Products)
Background:	DAMOX, D-amino-acid oxidase, DAAO, DAMOX, DAO
Gene ID:	1610, 13142, 114027
UniProt:	P14920, P18894, O35078

## **Application Details**


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

## **Images**



#### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of DAO staining in MCF7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in



## **Western Blotting**

Image 2. Western blot analysis of DAO expression in Raji (A), HT29 (B) whole cell lysates.