
# antibodies -online.com







## anti-UROD antibody

**Images** 



$\sim$					
( )	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	UROD
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This UROD antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
Product Details	

Immunogen:	Recombinant full length protein of human UROD
Specificity:	Recognizes endogenous levels of UROD protein.
Characteristics:	Rabbit polyclonal antibody to UROD
Purification:	The antibody was purified by immunogen affinity chromatography.

### **Target Details**

Target:	UROD
Alternative Name:	UROD (UROD Products)
Background:	Uroporphyrinogen decarboxylase, UPD, URO-D
Gene ID:	7389, 22275
UniProt:	P06132, P70697, P32362

#### **Application Details**


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:200)	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.	
Expiry Date:	12 months	

#### **Images**



#### Immunofluorescence

**Image 1.** Immunofluorescent analysis of UROD staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



#### **Western Blotting**

**Image 2.** Western blot analysis of UROD expression in K562 (A), HepG2 (B), mouse liver (C), mouse kidney (D) whole cell lysates.