antibodies - online.com







anti-PHYH antibody

Images



OVARVIAN

Quantity:100 μLTarget:PHYHReactivity:HumanHost:RabbitClonality:PolyclonalConjugate:This PHYH antibody is un-conjugatedApplication:Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)Product Details	Overview	
Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This PHYH antibody is un-conjugated Application: Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	Quantity:	100 μL
Host: Rabbit Clonality: Polyclonal Conjugate: This PHYH antibody is un-conjugated Application: Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	Target:	PHYH
Clonality: Polyclonal Conjugate: This PHYH antibody is un-conjugated Application: Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	Reactivity:	Human
Conjugate: This PHYH antibody is un-conjugated Application: Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	Host:	Rabbit
Application: Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)	Clonality:	Polyclonal
	Conjugate:	This PHYH antibody is un-conjugated
Product Details	Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
	Product Details	

Immunogen:	Recombinant full length protein of human PHYH
Specificity:	Recognizes endogenous levels of PHYH protein.
Characteristics:	Rabbit polyclonal antibody to PHYH
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	PHYH
Alternative Name:	PHYH (PHYH Products)
Background:	PAHX, Phytanoyl-CoA dioxygenase, peroxisomal, Phytanic acid oxidase, Phytanoyl-CoA alpha- hydroxylase, PhyH
Gene ID:	5264

Target Details

UniProt:	014832
Pathways:	Monocarboxylic Acid Catabolic Process


Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of PHYH staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Western Blotting

Image 2. Western blot analysis of PHYH expression in MCF7 (A), HepG2 (B) whole cell lysates.