# antibodies -online.com







## anti-PHF17 antibody

**Images** 



$\sim$	
( )\/户	rview
$\circ$	V I C V V

Quantity:	100 μL
Target:	PHF17
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PHF17 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

## **Product Details**

Immunogen:	Recombinant full length protein of human PHF17
Specificity:	Recognizes endogenous levels of PHF17 protein.
Characteristics:	Rabbit polyclonal antibody to PHF17
Purification:	The antibody was purified by immunogen affinity chromatography.

## **Target Details**

Target:	PHF17
Alternative Name:	PHF17 (PHF17 Products)
Background:	KIAA1807, PHF17, Protein Jade-1, Jade family PHD finger protein 1, PHD finger protein 17
Gene ID:	79960, 269424
UniProt:	Q6IE81, Q6ZPI0

## **Application Details**


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

## **Images**



#### **Immunofluorescence**

**Image 1.** Immunofluorescent analysis of PHF17 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



## **Western Blotting**

**Image 2.** Western blot analysis of PHF17 expression in mouse kidney (A), mouse liver (B) whole cell lysates.