antibodies -online.com





anti-LIMS1 antibody

2 Images



Go to Product page

\cap	n /i o	A /
Ove	ı vie	V۷

Overview	
Quantity:	100 μL
Target:	LIMS1
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LIMS1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
Product Details	
Immunogen:	Recombinant full length protein of human Pinch-1
Specificity:	Recognizes endogenous levels of Pinch-1 protein.
Characteristics:	Rabbit polyclonal antibody to Pinch-1
Purification:	The antibody was purified by immunogen affinity chromatography.
Target Details	
Target:	LIMS1
Alternative Name:	Pinch-1 (LIMS1 Products)
Background:	PINCH, PINCH1, LIM and senescent cell antigen-like-containing domain protein 1, Particularly interesting new Cys-His protein 1, PINCH-1, Renal carcinoma antigen NY-REN-48
Gene ID:	3987, 110829

Target Details

UniProt:	P48059, Q99JW4
----------	----------------

Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:50 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of Pinch-1 staining in A549 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibod



Western Blotting

Image 2. Western blot analysis of Pinch-1 expression in HepG2 (A) whole cell lysates.