
antibodies .- online.com







anti-TCN1 antibody

Images



\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 μL
Target:	TCN1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TCN1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

Product Details

Immunogen:	Recombinant full length protein of human Transcobalamin-1
Specificity:	Recognizes endogenous levels of Transcobalamin-1 protein.
Characteristics:	Rabbit polyclonal antibody to Transcobalamin-1
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	TCN1
Alternative Name:	Transcobalamin-1 (TCN1 Products)
Background:	TC1, Transcobalamin-1, TC-1, Transcobalamin I, TC I, TCI
Gene ID:	6947
UniProt:	P20061

Application Details


Application Notes:	WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of Transcobalamin-1 staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primar



Western Blotting

Image 2. Western blot analysis of Transcobalamin-1 expression in BT474 (A), HT29 (B) whole cell lysates.