antibodies -online.com





Datasheet for ABIN7306620

anti-NAPG antibody

2 Images



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL
Target:	NAPG
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NAPG antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)
Product Details	

Immunogen:	Recombinant full length protein of human SNAP-gamma
Specificity:	Recognizes endogenous levels of SNAP-gamma protein.
Characteristics:	Rabbit polyclonal antibody to SNAP-gamma
Purification:	The antibody was purified by immunogen affinity chromatography.

Target Details

Target:	NAPG
Alternative Name:	SNAP-gamma (NAPG Products)
Background:	SNAPG, Gamma-soluble NSF attachment protein, SNAP-gamma, N-ethylmaleimide-sensitive factor attachment protein gamma
Gene ID:	8774, 108123

Target Details

UniProt:	Q99747,	Q9CWZ7
----------	---------	--------


Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of SNAP-gamma staining in U2OS cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary anti



Western Blotting

Image 2. Western blot analysis of SNAP-gamma expression in Hela (A), mouse spleen (B), mouse lung (C), rat brain (D) whole cell lysates.