

Datasheet for ABIN7306660

**anti-ADSS antibody****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	ADSS
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ADSS antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC)

## Product Details

Immunogen:	Recombinant full length protein of human ADSS
Specificity:	Recognizes endogenous levels of ADSS protein.
Characteristics:	Rabbit polyclonal antibody to ADSS
Purification:	The antibody was purified by immunogen affinity chromatography.

## Target Details

Target:	ADSS
Alternative Name:	ADSS ( <a href="#">ADSS Products</a> )
Background:	ADSS2, Adenylosuccinate synthetase isozyme 2, AMPSase 2, AdSS 2, Adenylosuccinate synthetase, acidic isozyme, Adenylosuccinate synthetase, liver isozyme, L-type adenylosuccinate synthetase, IMP--aspartate ligase 2

### Target Details

Gene ID:	159, 11566
UniProt:	<a href="#">P30520</a> , <a href="#">P46664</a>
Pathways:	<a href="#">Ribonucleoside Biosynthetic Process</a>

### Application Details

Application Notes:	WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)
Restrictions:	For Research Use only

### Handling


Format:	Liquid
Buffer:	Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.
Expiry Date:	12 months

### Images



Immunofluorescence

**Image 1.** Immunofluorescent analysis of ADSS staining in Hela cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody i



Western Blotting

**Image 2.** Western blot analysis of ADSS expression in BT474 (A), mouse lung (B), mouse brain (C), rat kidney (D) whole cell lysates.