

Datasheet for ABIN7306684

anti-CPSF3L antibody**2** Images[Go to Product page](#)

Overview

| | |
|--------------|---|
| Quantity: | 100 µL |
| Target: | CPSF3L |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CPSF3L antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunofluorescence (IF), Immunochromatography (IC) |

Product Details

| | |
|------------------|---|
| Immunogen: | Recombinant full length protein of human Int11 |
| Specificity: | Recognizes endogenous levels of Int11 protein. |
| Characteristics: | Rabbit polyclonal antibody to Int11 |
| Purification: | The antibody was purified by immunogen affinity chromatography. |

Target Details

| | |
|-------------------|--|
| Target: | CPSF3L |
| Alternative Name: | Int11 (CPSF3L Products) |
| Background: | INTS11, RC68, Integrator complex subunit 11, Int11, Cleavage and polyadenylation-specific factor 3-like protein, CPSF3-like protein, Protein related to CPSF subunits of 68 kDa, RC-68 |
| Gene ID: | 54973 |

Target Details

UniProt: [Q5TA45](#)

Application Details

Application Notes: WB (1:500 - 1:2000), IF/IC (1:10 - 1:100)

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in 0.42 % Potassium phosphate, 0.87 % Sodium chloride, pH 7.3, 30 % glycerol, and 0.01 % sodium azide.

Preservative: Sodium azide


Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid freeze/thaw cycles.


Expiry Date: 12 months

Images



Immunofluorescence

Image 1. Immunofluorescent analysis of Int11 staining in HeLa cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody



Western Blotting

Image 2. Western blot analysis of Int11 expression in SKOV3 (A), MCF7 (B), mouse spleen (C), rat liver (D) whole cell lysates.